

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name : Dip-it Plus

Product code : 111068E

Use of the : Presoak

Substance/Mixture

Substance type: : Mixture

For professional users only.

Product dilution information : No dilution information provided.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Dishwash product. Manual process

Recommended restrictions

on use

: Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company : Ecolab Ltd.

PO Box 11; Winnington Avenue

Northwich, Cheshire, United Kingdom CW8 4DX

+ 44 (0)1606 74488 ccs@ecolab.com

1.4 Emergency telephone number

Emergency telephone

number

Food & Beverage, Institutional, Agriculture, Textile Hygiene:

Northwich: +44 (0)1606 74488

Healthcare Leeds: +44 (0)113 232 2480 Healthcare Swansea: +44 (0)1235 239670

Poison Information Centre

telephone number

: Not Available

Date of Compilation/Revision : 28.03.2017 Version : 1.0

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1A
Serious eye damage, Category 1
H318
Specific target organ toxicity - single exposure, Category 3,
H335

Respiratory system

111068E 1 / 14

The classification of this product is based only on its extreme pH value (in accordance with current European legislation).

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary Statements : Prevention:

P260a Do not breathe dusts or mists.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with

water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label: Sodium carbonate peroxyhydrate sodium metasilicate

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

| Chemical Name | CAS-No. | ClassificationREGULATION (EC) No | Concentration: |
|---------------------|------------------|-------------------------------------|----------------|
| | EC-No. | 1272/2008 | [%] |
| | REACH No. | | |
| Sodium Carbonate | 497-19-8 | Eye irritation Category 2; H319 | >= 30 - < 50 |
| | 207-838-8 | | |
| | 01-2119485498-19 | | |
| | | | |
| Sodium carbonate | 15630-89-4 | Oxidizing solids Category 3; H272 | >= 20 - < 25 |
| peroxyhydrate | 239-707-6 | Acute toxicity Category 4; H302 | |
| | 01-2119457268-30 | Serious eye damage Category 1; H318 | |
| | | | |
| sodium metasilicate | 6834-92-0 | Skin corrosion Category 1B; H314 | >= 20 - < 25 |

111068E 2 / 14

| | 229-912-9 01-2119449811-37 | Specific target organ toxicity - single exposure Category 3; H335 | |
|--------------------------|-------------------------------|---|--------------|
| Fattyalcohol ethoxylates | 68213-23-0 | Acute toxicity Category 4; H302 | >= 1 - < 2.5 |
| =/< C15 and =/< 5EO | 500-201-8 | Eye irritation Category 2; H319 | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical

attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment : Use personal protective equipment.

111068E 3 / 14

for firefighters

Further information : Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of

fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency

personnel

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency

responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up and shovel into suitable containers for disposal.

6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep out of reach of children. Keep container tightly closed. Store

in suitable labeled containers.

Storage temperature : 0 °C to 40 °C

7.3 Specific end uses

111068E 4 / 14

Specific use(s) : Dishwash product. Manual process

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

| DINLL | | |
|---|---|---|
| Sodium Carbonate | : | End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 10 mg/m3 |
| | | End Use: Consumers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 10 mg/m3 |
| sodium metasilicate | : | End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 1.49 mg/kg |
| | | End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 6.22 mg/m3 |
| Fattyalcohol ethoxylates =/< C15 and =/< 5EO | | End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects |
| | | End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 294 mg/m3 |

PNEC

| sodium metasilicate | : | Fresh water Value: 7.5 mg/l |
|------------------------------|---|--------------------------------|
| | | |
| | | Marine water |
| | | Value: 1 mg/l |
| | | Intermittent use/release |
| | | Value: 7.5 mg/l |
| | | Sewage treatment plant |
| | | Value: 1000 mg/l |
| Fattyalcohol ethoxylates =/< | : | Fresh water |
| C15 and =/< 5EO | | Value: 0.048 mg/l |
| | | Marine water |
| | | Value: 0.048 mg/l |
| | | Intermittent use/release |

111068E 5 / 14

| Value: 0.0041 mg/l |
|---|
| Sewage treatment plant Value: 10000 mg/l |
| Fresh water sediment Value: 292 mg/kg |
| Marine sediment Value: 292 mg/kg |
| Soil Value: 1 mg/kg |

8.2 Exposure controls

Appropriate engineering controls

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles

Face-shield

Hand protection (EN 374) : Recommended preventive skin protection

Gloves Nitrile rubber butyl-rubber

Breakthrough time: 1 – 4 hours

Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4

mm or equivalent (please refer to the gloves

manufacturer/distributor for advise).

Gloves should be discarded and replaced if there is any indication

of degradation or chemical breakthrough.

Skin and body protection

(EN 14605)

: Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing

Respiratory protection (EN

143, 14387)

: When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified

respiratory protection equipment meeting EU requirements (89/656/EEC, 89/686/EEC), or equivalent, with filter type:

Environmental exposure controls

General advice : Consider the provision of containment around storage vessels.

111068E 6 / 14

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : powder Colour white Odour : odourless

pΗ : 11.6 - 12.0, 1 % Flash point Not applicable.

Odour Threshold Not applicable and/or not determined for the mixture Melting point/freezing point : Not applicable and/or not determined for the mixture Initial boiling point and

boiling range

: Not applicable and/or not determined for the mixture

Evaporation rate : Not applicable and/or not determined for the mixture Flammability (solid, gas) : Not applicable and/or not determined for the mixture Upper explosion limit : Not applicable and/or not determined for the mixture Lower explosion limit : Not applicable and/or not determined for the mixture Vapour pressure : Not applicable and/or not determined for the mixture : Not applicable and/or not determined for the mixture Relative vapour density

Relative density : 1.1 - 1.2 Water solubility : soluble

Solubility in other solvents : Not applicable and/or not determined for the mixture Partition coefficient: n-: Not applicable and/or not determined for the mixture

Auto-ignition temperature Not applicable and/or not determined for the mixture Thermal decomposition : Not applicable and/or not determined for the mixture Viscosity, kinematic Not applicable and/or not determined for the mixture Not applicable and/or not determined for the mixture Explosive properties

Oxidizing properties : Yes

9.2 Other information

octanol/water

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

111068E 7/14

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Product

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

: There is no data available for this product. Teratogenicity

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

: Sodium Carbonate Acute oral toxicity

LD50 rat: 2,800 mg/kg

111068E 8/14

Sodium carbonate peroxyhydrate

LD50 rat: 1,034 mg/kg

sodium metasilicate LD50 rat: 500 mg/kg

Fattyalcohol ethoxylates =/< C15 and =/< 5EO

LD50 rat: 1,700 mg/kg

Components

Acute dermal toxicity : Fattyalcohol ethoxylates =/< C15 and =/< 5EO

LD50 rabbit: > 2,000 mg/kg

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Section: 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : Sodium Carbonate

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l

sodium metasilicate 96 h LC50 Fish: 210 mg/l

111068E 9 / 14

Fattyalcohol ethoxylates =/< C15 and =/< 5EO

96 h LC50 Fish: 1.5 mg/l

Components

Toxicity to daphnia and other : Sodium Carbonate

aquatic invertebrates

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Sodium carbonate peroxyhydrate 48 h EC50 Daphnia: 4.9 mg/l

12.2 Persistence and degradability

Product

no data available

Components

Biodegradability : Sodium Carbonate

Result: Not applicable - inorganic

Sodium carbonate peroxyhydrate Result: Not applicable - inorganic

sodium metasilicate

Result: Not applicable - inorganic

Fattyalcohol ethoxylates =/< C15 and =/< 5EO

Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered to be

> either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

111068E 10/14

Product : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal

facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken

to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

Guidance for Waste Code

selection

: Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC)

and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number : 3262

14.2 UN proper shipping : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

name

(Sodium carbonate peroxyhydrate, sodium metasilicate)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : II14.5 Environmental hazards : No14.6 Special precautions for : None

user

Air transport (IATA)

14.1 UN number : 3262

14.2 UN proper shipping : Corrosive solid, basic, inorganic, n.o.s.

name

(Sodium carbonate peroxyhydrate, sodium metasilicate)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : II14.5 Environmental hazards : No14.6 Special precautions for : None

user

Sea transport (IMDG/IMO)

14.1 UN number : 3262

14.2 UN proper shipping : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

name

(Sodium carbonate peroxyhydrate, sodium metasilicate)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : II 14.5 Environmental hazards : No 14.6 Special precautions for : None

111068E 11 / 14

user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

: Not applicable.

Code

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents Regulation EC 648/2004 : 15 % or over but less than 30 %: Oxygen-based bleaching agents

5 % or over but less than 15 %: Phosphates

less than 5 %: Non-ionic surfactants

Other constituents: Enzymes

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply)

Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

| Classification | Justification | |
|--|-------------------------------------|--|
| Skin corrosion 1A, H314 | Based on product data or assessment | |
| Serious eye damage 1, H318 | Based on product data or assessment | |
| Specific target organ toxicity - single exposure 3, H335 | Calculation method | |

Full text of H-Statements

| H2/2 | May intensify fire; oxidiser. |
|------|--|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| | |

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL –

111068E 12 / 14

Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ANNEX: EXPOSURE SCENARIOS

DPD+ Substances:

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

| Route | Substance | CAS-No. | EINECS-No. |
|------------|---------------------|-----------|------------|
| Ingestion | sodium metasilicate | 6834-92-0 | 229-912-9 |
| Inhalation | sodium metasilicate | 6834-92-0 | 229-912-9 |
| Dermal | sodium metasilicate | 6834-92-0 | 229-912-9 |

111068E 13 / 14

| Eyes | Sodium carbonate peroxyhydrate | 15630-89-4 | 239-707-6 |
|---------------------|--------------------------------|------------|-----------|
| aquatic environment | No lead substance | | |

Physical properties DPD+ Substances:

| Substance | Vapour pressure | Water solubility | Pow | Molar Mass |
|--------------------------------|-----------------|------------------|-----|------------|
| sodium metasilicate | 0.0103 hPa | 210 g/l | | |
| Sodium carbonate peroxyhydrate | < 0.0000001 hPa | 120 g/l | | |

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

www.ecetoc.org/tra

Short title of Exposure

Scenario

: Dishwash product. Manual process

Use descriptors

Main User Groups : Professional uses: Public domain (administration, education,

entertainment, services, craftsmen)

Sectors of end-use : **SU22:** Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Process categories : **PROC10:** Roller application or brushing

PROC8a: Transfer of substance or preparation (charging/

discharging) from/ to vessels/ large containers at non-dedicated

facilities

Product categories : **PC35**: Washing and cleaning products (including solvent based

products)

Environmental Release

Categories

: **ERC8a:** Wide dispersive indoor use of processing aids in open

systems

111068E 14 / 14