

**Oasis Pro 61D Premium****Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product name : Oasis Pro 61D Premium

Product code : 112799E

Use of the  
Substance/Mixture : Cleaner and disinfectant

Substance type: : Mixture

**For professional users only.**

Product dilution information : 2.0 % - 10.0 %

**1.2 Relevant identified uses of the substance or mixture and uses advised against**Identified uses : Sanitary cleaner. Spray and wipe manual process  
Surface disinfectant. Spray and rinse manual processRecommended restrictions  
on use : Reserved for industrial and professional use.**1.3 Details of the supplier of the safety data sheet**Company : Ecolab Ltd.  
PO Box 11; Winnington Avenue  
Northwich, Cheshire, United Kingdom CW8 4DX  
+ 44 (0)1606 74488  
ccs@ecolab.com**1.4 Emergency telephone number**Emergency telephone  
number : Food & Beverage, Institutional, Agriculture, Textile Hygiene:  
Northwich: +44 (0)1606 74488  
Healthcare Leeds: +44 (0)113 232 2480  
Healthcare Swansea: +44 (0)1235 239670Poison Information Centre  
telephone number : Not AvailableDate of Compilation/Revision : 25.05.2017  
Version : 2.4**Section: 2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)****Product AS SOLD**

Skin corrosion, Category 1A

H314

**Oasis Pro 61D Premium**

Serious eye damage, Category 1 H318  
Chronic aquatic toxicity, Category 3 H412  
The classification of this product is based only on its extreme pH value (in accordance with current European legislation).

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**2.2 Label elements**

**Labelling (REGULATION (EC) No 1272/2008)**

**Product AS SOLD**

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H314  
H412

Causes severe skin burns and eye damage.  
Harmful to aquatic life with long lasting effects.

Supplemental Hazard  
Statements

: EUH071

Corrosive to the respiratory tract.

Precautionary Statements

: **Prevention:**

P273  
P280

Avoid release to the environment.  
Wear protective gloves/ eye protection/ face  
protection.

**Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately  
all contaminated clothing. Rinse skin with  
water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water  
for several minutes. Remove contact lenses, if  
present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label:

Lactic acid  
Benzalkonium chloride  
Fattyalcohol ethoxylates > 5EO

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**2.3 Other hazards**

**Product AS SOLD**

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Oasis Pro 61D Premium****Product AS SOLD  
Hazardous components**

Chemical Name	CAS-No. EC-No. REACH No.	ClassificationREGULATION (EC) No 1272/2008	Concentration: [%]
Lactic acid	79-33-4 201-196-2 01-2119474164-39	Skin irritation Category 2; H315 Serious eye damage Category 1; H318	>= 5 - < 10
Benzalkonium chloride	68424-85-1 270-325-2 01-2119965180-41	Acute toxicity Category 4; H302 Skin corrosion Category 1B; H314 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410	>= 1 - < 2.5
Fattyalcohol ethoxylates > 5EO	69227-22-1	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Skin irritation Category 2; H315 Serious eye damage Category 1; H318	>= 1 - < 2.5
<b>Substances with a workplace exposure limit :</b>			
ethanol	64-17-5 200-578-6 01-2119457610-43	Flammable liquids Category 2; H225	>= 0.5 - < 1

**Product AT USE DILUTION  
Hazardous components**

Chemical Name	CAS-No. EC-No. REACH No.	ClassificationREGULATION (EC) No 1272/2008	Concentration: [%]
Benzalkonium chloride	68424-85-1 270-325-2 01-2119965180-41	Acute toxicityCategory 4; H302 Skin corrosionCategory 1B; H314 Serious eye damageCategory 1; H318 Acute aquatic toxicityCategory 1; H400 Chronic aquatic toxicityCategory 1; H410	>= 0.1 - < 0.25

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES****4.1 Description of first aid measures****Product AS SOLD**

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

**Oasis Pro 61D Premium**

**Product AT USE DILUTION**

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

Treatment : Treat symptomatically.

**Section: 5. FIREFIGHTING MEASURES**

**Product AS SOLD**

**5.1 Extinguishing media**

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

**5.3 Advice for firefighters**

Special protective equipment for firefighters	: Use personal protective equipment.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Product AS SOLD**

Advice for non-emergency personnel	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the
------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Oasis Pro 61D Premium**

exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**Product AT USE DILUTION**

Advice for non-emergency personnel : Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**6.2 Environmental precautions**

**Product AS SOLD**

Environmental precautions : Do not allow contact with soil, surface or ground water.

**Product AT USE DILUTION**

Environmental precautions : No special environmental precautions required.

**6.3 Methods and materials for containment and cleaning up**

**Product AS SOLD**

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**Product AT USE DILUTION**

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**6.4 Reference to other sections**

See Section 1 for emergency contact information.  
For personal protection see section 8.  
See Section 13 for additional waste treatment information.

**Section: 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Product AS SOLD**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

**Oasis Pro 61D Premium**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

**Product AT USE DILUTION**

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

**Product AS SOLD**

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : -5 °C to 40 °C

**Product AT USE DILUTION**

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

**7.3 Specific end uses**

**Product AS SOLD**

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**Product AS SOLD**

**Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m <sup>3</sup>	UKCOSSTD
Further information	2	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used		

**8.2 Exposure controls**

**Product AS SOLD**

**Appropriate engineering controls**

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

**Individual protection measures**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

**Oasis Pro 61D Premium**

- Eye/face protection (EN 166) : Safety goggles  
Face-shield
- Hand protection (EN 374) : Recommended preventive skin protection  
Gloves  
Nitrile rubber  
butyl-rubber  
Breakthrough time: 1 – 4 hours  
Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise).  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin and body protection (EN 14605) : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC ), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Product AT USE DILUTION**

**Appropriate engineering controls**

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures**

- Hygiene measures : Wash hands before breaks and immediately after handling the product.
- Eye/face protection (EN 166) : No special protective equipment required.
- Hand protection (EN 374) : No special protective equipment required.
- Skin and body protection (EN 14605) : No special protective equipment required.
- Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC ), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Environmental exposure controls**

- General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Oasis Pro 61D Premium**

**9.1 Information on basic physical and chemical properties**

	<b>Product AS SOLD</b>	<b>Product AT USE DILUTION</b>
Appearance	: liquid	liquid
Colour	: red	light orange
Odour	: Perfumes, fragrances	pleasant
pH	: 1.3 - 2.3, 100 %	2.6 - 3.5
Flash point	: Not applicable.	
Odour Threshold	: Not applicable and/or not determined for the mixture	
Melting point/freezing point	: Not applicable and/or not determined for the mixture	
Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture	
Evaporation rate	: Not applicable and/or not determined for the mixture	
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture	
Upper explosion limit	: Not applicable and/or not determined for the mixture	
Lower explosion limit	: Not applicable and/or not determined for the mixture	
Vapour pressure	: Not applicable and/or not determined for the mixture	
Relative vapour density	: Not applicable and/or not determined for the mixture	
Relative density	: 1.0165 - 1.0265	
Water solubility	: soluble	
Solubility in other solvents	: Not applicable and/or not determined for the mixture	
Partition coefficient: n-octanol/water	: Not applicable and/or not determined for the mixture	
Auto-ignition temperature	: Not applicable and/or not determined for the mixture	
Thermal decomposition	: Not applicable and/or not determined for the mixture	
Viscosity, kinematic	: Not applicable and/or not determined for the mixture	
Explosive properties	: Not applicable and/or not determined for the mixture	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	

**9.2 Other information**

**Section: 10. STABILITY AND REACTIVITY**

**Product AS SOLD**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**



**Oasis Pro 61D Premium**

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

**10.4 Conditions to avoid**

None known.

**10.5 Incompatible materials**

Bases  
Metals

**10.6 Hazardous decomposition products**

Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Product AS SOLD**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg  
Acute inhalation toxicity : 4 h Acute toxicity estimate : > 20 mg/l  
Acute dermal toxicity : There is no data available for this product.  
Skin corrosion/irritation : There is no data available for this product.  
Serious eye damage/eye irritation : There is no data available for this product.  
Respiratory or skin sensitization : There is no data available for this product.  
Carcinogenicity : There is no data available for this product.  
Reproductive effects : There is no data available for this product.  
Germ cell mutagenicity : There is no data available for this product.  
Teratogenicity : There is no data available for this product.  
STOT - single exposure : There is no data available for this product.  
STOT - repeated exposure : There is no data available for this product.  
Aspiration toxicity : There is no data available for this product.

**Components**

**Oasis Pro 61D Premium**

Acute oral toxicity : Lactic acid  
LD50 rat: 3,543 mg/kg

Benzalkonium chloride  
LD50 rat: 344 mg/kg

Fattyalcohol ethoxylates > 5EO  
LD50 : 1,800 mg/kg

ethanol  
LD50 rat: 10,470 mg/kg

**Components**

Acute inhalation toxicity : Lactic acid  
4 h LC50 rat: 7.94 mg/l

Fattyalcohol ethoxylates > 5EO  
LC50 rat: 3.5 mg/l

ethanol  
4 h LC50 rat: 117 mg/l

**Components**

Acute dermal toxicity : Lactic acid  
LD50 rabbit: 2,000 mg/kg

Benzalkonium chloride  
LD50 rabbit: 3,340 mg/kg

Fattyalcohol ethoxylates > 5EO  
LD50 : > 2,000 mg/kg

ethanol  
LD50 rabbit: > 15,800 mg/kg

**Potential Health Effects**

**Product AS SOLD**

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION**

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

**Oasis Pro 61D Premium**

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure**

**Product AS SOLD**

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Pain, Corrosion  
Ingestion : Corrosion, Abdominal pain  
Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION**

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

**Section: 12. ECOLOGICAL INFORMATION**

**Product AS SOLD**

**12.1 Ecotoxicity**

Environmental Effects : Harmful to aquatic life with long lasting effects.

**Product**

Toxicity to fish : no data available  
Toxicity to daphnia and other aquatic invertebrates : no data available  
Toxicity to algae : no data available

**Components**

Toxicity to fish : Lactic acid  
96 h LC50 Fish: 130 mg/l  
Fattyalcohol ethoxylates > 5EO  
96 h LC50: 5 mg/l  
ethanol  
96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

**Components**

Toxicity to daphnia and other aquatic invertebrates : Benzalkonium chloride  
48 h EC50 Daphnia magna (Water flea): 0.016 mg/l

**12.2 Persistence and degradability**

**Product**

Biodegradability : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

**Oasis Pro 61D Premium**

**Components**

- Biodegradability : Lactic acid  
Result: Readily biodegradable.
- Benzalkonium chloride  
Result: Biodegradable
- Fattyalcohol ethoxylates > 5EO  
Result: Readily biodegradable.
- ethanol  
Result: Readily biodegradable.

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

- Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods**

**Product AS SOLD**

- Product : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
- Guidance for Waste Code selection : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the

**Oasis Pro 61D Premium**

toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

**Product AT USE DILUTION**

- Product : Diluted product can be flushed to sanitary sewer.  
Contaminated packaging : Dispose of in accordance with local, state, and federal regulations.

**Section: 14. TRANSPORT INFORMATION**

**Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

- 14.1 UN number : Not dangerous goods  
14.2 UN proper shipping name : Not dangerous goods  
14.3 Transport hazard class(es) : Not dangerous goods  
14.4 Packing group : Not dangerous goods  
14.5 Environmental hazards : Not dangerous goods  
14.6 Special precautions for user : Not dangerous goods

**Air transport (IATA)**

- 14.1 UN number : Not dangerous goods  
14.2 UN proper shipping name : Not dangerous goods  
14.3 Transport hazard class(es) : Not dangerous goods  
14.4 Packing group : Not dangerous goods  
14.5 Environmental hazards : Not dangerous goods  
14.6 Special precautions for user : Not dangerous goods

**Sea transport (IMDG/IMO)**

- 14.1 UN number : Not dangerous goods  
14.2 UN proper shipping name : Not dangerous goods  
14.3 Transport hazard class(es) : Not dangerous goods  
14.4 Packing group : Not dangerous goods  
14.5 Environmental hazards : Not dangerous goods  
14.6 Special precautions for user : Not dangerous goods  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not dangerous goods

**Oasis Pro 61D Premium**

**Section: 15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

according to Detergents Regulation EC 648/2004 : less than 5 %: Cationic surfactants, Non-ionic surfactants  
 Other constituents: Perfumes  
 Preservation agents:  
 Lactic acid  
 Contains: Disinfectants  
 Allergens:  
 Linalool

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Other regulations : The Chemicals (Hazard Information and Packaging for Supply) Regulations.  
 The Control of Substances Hazardous to Health Regulations.  
 Health and Safety at Work Act.

**15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

**Section: 16. OTHER INFORMATION**

**Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

Classification	Justification
Skin corrosion 1A, H314	On basis of test data.
Serious eye damage 1, H318	Based on product data or assessment
Chronic aquatic toxicity 3, H412	Calculation method

**Full text of H-Statements**

H225 Highly flammable liquid and vapour.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H332 Harmful if inhaled.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

**Full text of other abbreviations**

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number –

**Oasis Pro 61D Premium**

European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS – Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

**Further information**

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**ANNEX: EXPOSURE SCENARIOS**

**DPD+ Substances:**

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

Route	Substance	CAS-No.	EINECS-No.
Ingestion	Benzalkonium chloride	68424-85-1	270-325-2
Inhalation	Fattyalcohol ethoxylates > 5EO	69227-22-1	

**Oasis Pro 61D Premium**

Dermal	Benzalkonium chloride	68424-85-1	270-325-2
Eyes	Lactic acid	79-33-4	201-196-2
aquatic environment	Benzalkonium chloride	68424-85-1	270-325-2

**Physical properties DPD+ Substances:**

Substance	Vapour pressure	Water solubility	Pow	Molar Mass
Benzalkonium chloride	< 0.0000001 hPa	403 g/l		
Lactic acid	0.0041 hPa		0.25	

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

[www.ecetoc.org/tra](http://www.ecetoc.org/tra)

**Short title of Exposure Scenario** : **Sanitary cleaner. Spray and wipe manual process**

**Use descriptors**

- Main User Groups : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Sectors of end-use : **SU22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Process categories : **PROC10:** Roller application or brushing  
**PROC11:** Non industrial spraying  
**PROC8a:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
- Product categories : **PC35:** Washing and cleaning products (including solvent based products)
- Environmental Release Categories : **ERC8a:** Wide dispersive indoor use of processing aids in open systems

**Short title of Exposure Scenario** : **Surface disinfectant. Spray and rinse manual process**

**Use descriptors**

- Main User Groups : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Sectors of end-use : **SU22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)



**Oasis Pro 61D Premium**

- Process categories : **PROC10:** Roller application or brushing  
**PROC11:** Non industrial spraying  
**PROC8a:** Transfer of substance or preparation (charging/  
discharging) from/ to vessels/ large containers at non-dedicated  
facilities
- Product categories : **PC35:** Washing and cleaning products (including solvent based  
products)
- Environmental Release  
Categories : **ERC8a:** Wide dispersive indoor use of processing aids in open  
systems