Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name : Noxa liquid

Product code 101792E

Use of the

Substance/Mixture

Additive

Substance type: : Mixture

For professional users only.

Product dilution information : No dilution information provided.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Conditioner (softner/starch). Semi automatic process

> Conditioner (softner/starch). Manual process Conditioner (softener/starch). Automatic process

Recommended restrictions

on use

: Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company Ecolab Ltd.

PO Box 11; Winnington Avenue

Northwich, Cheshire, United Kingdom CW8 4DX

+ 44 (0)1606 74488 ccs@ecolab.com

1.4 Emergency telephone number

Emergency telephone

number

Food & Beverage, Institutional, Agriculture, Textile Hygiene:

Northwich: +44 (0)1606 74488

Healthcare Leeds: +44 (0)113 232 2480 Healthcare Swansea: +44 (0)1235 239670

Poison Information Centre

telephone number

: Not Available

Date of Compilation/Revision : 02.03.2017 Version

1.1

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

101792E 1/14

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

mixtures

Special labelling of certain : Safety data sheet available on request.

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No.	ClassificationREGULATION (EC) No	Concentration:
	FC-No.	1272/2008	[%]
	REACH No.	1212/2000	[,~]
		A	
2-phenoxyethanol	122-99-6	Acute toxicity Category 4; H302	>= 1 - < 2.5
	204-589-7	Eye irritation Category 2; H319	
	01-2119488943-21		
	0 1 2 1 10 1000 10 2 1		
	<u> </u>		
Substances with a workp	place exposure limit :		
starch	9005-25-8		>= 25 - < 30
	232-679-6		
	202 0/3 0		
glycerin	56-81-5		>= 2.5 - < 5
	200-289-5		
ethanol	64-17-5	Flammable liquids Category 2; H225	>= 2.5 - < 5
Guianoi		l laminable liquius Category 2, 11225	/- 2.5 - < 5
	200-578-6		
	01-2119457610-43		
1	1		

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

101792E 2/14

4.3 Indication of immediate medical attention and special treatment needed

Treatment : No specific measures identified.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

: Use extinguishing measures that are appropriate to local Suitable extinguishing media

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

5.3 Advice for firefighters

for firefighters

Special protective equipment: Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency

personnel

: Remove all sources of ignition. Refer to protective measures listed

in sections 7 and 8.

Advice for emergency

responders

If specialised clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable

materials.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Eliminate all ignition sources if safe to do so. Stop leak if safe to

do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not

101792E 3/14

reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary

action to avoid static electricity discharge (which might cause

ignition of organic vapours).

Hygiene measures : Wash hands before breaks and immediately after handling the

product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep away from heat and sources of ignition. Keep away from

oxidizing agents. Keep out of reach of children. Keep container

tightly closed. Store in suitable labeled containers.

Storage temperature : 5 °C to 40 °C

7.3 Specific end uses

Specific use(s) : Conditioner (softner/starch). Semi automatic process

Conditioner (softner/starch). Manual process Conditioner (softener/starch). Automatic process

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.		Value type (Form of exposure)	Control parameters	Basis	
starch	9005-25-8		TWA (Respirable dust)	4 mg/m3	UKCOSSTD	
Further information	15	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust				
	44	The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit.				
	45	Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'.			entry into the ts, depend on the	
	46	Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in				

101792E 4 / 14

		the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3.			
	47	Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with.			
	2	Where no specific short-term exposure limit is listed, a figure three times the			
		long-term exposure should be used			
		TWA (Inhalable 10 mg/m3 UKCOSSTD dust)			
Further information	15	For the purposes of these limits, respirable dust and inhalable			
		fractions of airborne dust which will be collected when sampl			
		in accordance with the methods described in MDHS14/3 General methods for			
	44	sampling and gravimetric analysis of respirable and inhalable. The COSHH definition of a substance hazardous to health in			
	44	any kind when present at a concentration in air equal to or gr			
		mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TV			
		dust. This means that any dust will be subject to COSHH if p			
		exposed above these levels. Some dusts have been assigned specific WELs			
		and exposure to these must comply with the appropriate limit.			
	45	Most industrial dusts contain particles of a wide range of sizes. The			
		behaviour, deposition and fate of any particular particle after entry into the			
		human respiratory system and the body response that it elicits, depend on the			
		nature and size of the particle. HSE distinguishes two size fractions for limit-			
		setting purposes termed 'inhalable' and 'respirable'.			
	46	Inhalable dust approximates to the fraction of airborne material that enters the			
		nose and mouth during breathing and is therefore available f	or deposition in		
		the respiratory tract. Respirable dust approximates to the fra	ction that		
		penetrates to the gas exchange region of the lung. Fuller def	initions and		
		explanatory material are given in MDHS14/3.			
	47	Where dusts contain components that have their own assign	ed WEL, all the		
		relevant limits should be complied with.			
	2	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
glycerin	56-81-5	TWA (Mist) 10 mg/m3	UKCOSSTD		
Further information	2	Where no specific short-term exposure limit is listed, a figure			
		long-term exposure should be used			
ethanol	64-17-5	TWA 1,000 ppm	UKCOSSTD		
		1,920 mg/m3			
Further information	2	Where no specific short-term exposure limit is listed, a figure	three times the		
		long-term exposure should be used			

8.2 Exposure controls

Appropriate engineering controls

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands before breaks and immediately after handling the

product.

Eye/face protection (EN 166) : No special protective equipment required.

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection

(EN 14605)

143, 14387)

: No special protective equipment required.

Respiratory protection (EN : None required if airborne concentrations are maintained below the

exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

101792E 5 / 14

requirements(89/656/EEC, 89/686/EEC), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Environmental exposure controls

General advice : Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid Colour : white

Odour : Perfumes, fragrances

Hq : 5.2 - 6.4, 100 %

Flash point : 55 °C closed cup, Does not sustain combustion.

Odour Threshold : Not applicable and/or not determined for the mixture Melting point/freezing point : Not applicable and/or not determined for the mixture Initial boiling point and : Not applicable and/or not determined for the mixture

boiling range

: Not applicable and/or not determined for the mixture Evaporation rate

Flammability (solid, gas) : Not applicable and/or not determined for the mixture Upper explosion limit : Not applicable and/or not determined for the mixture Lower explosion limit : Not applicable and/or not determined for the mixture Vapour pressure Not applicable and/or not determined for the mixture

Relative vapour density : Not applicable and/or not determined for the mixture

Relative density : 1.0 - 1.1

Water solubility : Not applicable and/or not determined for the mixture Solubility in other solvents : Not applicable and/or not determined for the mixture Partition coefficient: n-

octanol/water

: Not applicable and/or not determined for the mixture

Auto-ignition temperature : Not applicable and/or not determined for the mixture Thermal decomposition : Not applicable and/or not determined for the mixture

: 2289.829 mm2/s (40 °C) Viscosity, kinematic

Explosive properties : Not applicable and/or not determined for the mixture : The substance or mixture is not classified as oxidizing. Oxidizing properties

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

101792E 6/14

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Product

: Acute toxicity estimate : > 2,000 mg/kg Acute oral toxicity

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

101792E 7/14

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : 2-phenoxyethanol

LD50 rat: 2,000 mg/kg

glycerin

LD50 rat: 18,300 mg/kg

ethanol

LD50 rat: 10,470 mg/kg

Components

Acute inhalation toxicity : ethanol

4 h LC50 rat: 117 mg/l

Components

Acute dermal toxicity : 2-phenoxyethanol

LD50 rabbit: 2,250 mg/kg

alvcerin

LD50 rabbit: 23,000 mg/kg

ethanol

LD50 rabbit: > 15,800 mg/kg

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Section: 12. ECOLOGICAL INFORMATION

101792E 8 / 14

12.1 Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : 2-phenoxyethanol

96 h LC50 Fish: > 220 mg/l

glycerin

96 h LC50 Fish: 855 mg/l

ethanol

96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

12.2 Persistence and degradability

Product

Biodegradability : The surfactants contained in the product are biodegradable

according to the requirements of the detergent regulation

648/2004/EC

Components

Biodegradability : 2-phenoxyethanol

Result: Readily biodegradable.

starch

Result: Readily biodegradable.

glycerin

Result: Readily biodegradable.

ethanol

Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

101792E 9 / 14

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product : Diluted product can be flushed to sanitary sewer.

Contaminated packaging : Dispose of in accordance with local, state, and federal regulations.

Guidance for Waste Code

selection

: Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC)

and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number : Not dangerous goods 14.2 UN proper shipping : Not dangerous goods

name

14.3 Transport hazard : Not dangerous goods

class(es)

14.4 Packing group : Not dangerous goods 14.5 Environmental hazards : Not dangerous goods 14.6 Special precautions for : Not dangerous goods

Air transport (IATA)

14.1 UN number : Not dangerous goods 14.2 UN proper shipping : Not dangerous goods

name

14.3 Transport hazard : Not dangerous goods

class(es)

14.4 Packing group : Not dangerous goods 14.5 Environmental hazards : Not dangerous goods 14.6 Special precautions for : Not dangerous goods

user

Sea transport (IMDG/IMO)

101792E 10 / 14

14.1 UN number : Not dangerous goods 14.2 UN proper shipping : Not dangerous goods

name

14.3 Transport hazard

: Not dangerous goods class(es)

: Not dangerous goods 14.4 Packing group 14.5 Environmental hazards : Not dangerous goods 14.6 Special precautions for : Not dangerous goods

user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

: Not dangerous goods

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: less than 5 %: Non-ionic surfactants according to Detergents Regulation EC 648/2004 Other constituents: Perfumes

> Preservation agents: 2-phenoxyethanol

Allergens: d-Limonene

2-(4-tert-Butylbenzyl) propionald-hyd

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply)

Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification	
Not a hazardous substance or mixture.	Calculation method	

Full text of H-Statements

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

Full text of other abbreviations

101792E 11 / 14

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ANNEX: EXPOSURE SCENARIOS

DPD+ Substances:

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

Route	Substance	CAS-No.	EINECS-No.
Ingestion	2-phenoxyethanol	122-99-6	204-589-7

101792E 12 / 14

Inhalation	No lead substance		
Dermal	No lead substance		
Eyes	2-phenoxyethanol	122-99-6	204-589-7
aquatic environment	No lead substance		

Physical properties DPD+ Substances:

Substance	Vapour pressure	Water solubility	Pow	Molar Mass
2-phenoxyethanol	0.021 hPa	28.6 g/l	15.85	

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

www.ecetoc.org/tra

Short title of Exposure

Scenario

: Conditioner (softener/starch). Automatic process

Use descriptors

Main User Groups : Industrial uses: Uses of substances as such or in preparations at

industrial sites

Sectors of end-use : SU3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Process categories : **PROC2**: Use in closed, continuous process with occasional

controlled exposure

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

Product categories : **PC35:** Washing and cleaning products (including solvent based

products)

Environmental Release

Categories

: ERC4: Industrial use of processing aids in processes and

products, not becoming part of articles

Short title of Exposure

Scenario

: Conditioner (softner/starch). Semi automatic process

Use descriptors

Main User Groups : Professional uses: Public domain (administration, education,

entertainment, services, craftsmen)

Sectors of end-use : SU22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

101792E 13 / 14

Process categories : **PROC1:** Use in closed process, no likelihood of exposure

PROC8a: Transfer of substance or preparation (charging/

discharging) from/ to vessels/ large containers at non-dedicated

facilities

Product categories : **PC35:** Washing and cleaning products (including solvent based

products)

Environmental Release

Categories

: **ERC8a:** Wide dispersive indoor use of processing aids in open

systems

101792E 14 / 14