

# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name	:	KitchenPro DesSpecial
Product code	:	115971E
Use of the Substance/Mixture	:	Biocide
Substance type:	:	Mixture
		For professional users only.
Product dilution information	:	No dilution information provided.
1.2 Relevant identified uses of the substance or mixture and uses advised against		

Identified uses	:	Biocide. Manual process Biocide. Spray and rinse manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.

#### 1.3 Details of the supplier of the safety data sheet

Company	<ul> <li>Ecolab Ltd.</li> <li>PO Box 11; Winnington Avenue</li> <li>Northwich, Cheshire, United Kingdom CW8 4DX</li> <li>+ 44 (0)1606 74488</li> <li>ccs@ecolab.com</li> </ul>
	ccs@ecolab.com

#### 1.4 Emergency telephone number

Emergency telephone number	:	Food & Beverage, Institutional, Agriculture, Textile Hygiene: Northwich: +44 (0)1606 74488 Healthcare Leeds: +44 (0)113 232 2480 Healthcare Swansea: +44 (0)1235 239670
Poison Information Centre telephone number	:	Not Available

Date of Compilation/Revision : 07.02.2017 version : 1.1

## Section: 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3

#### 2.2 Label elements

H412

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard Statements : H412

Precautionary Statements

: Prevention: P273

Harmful to aquatic life with long lasting effects.

Avoid release to the environment.

#### 2.3 Other hazards

None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### Hazardous components

alanine, n,n- bis(carboxymethyl)-,	REACH No. 164462-16-2			
, ,	164462-16-2			
trisodium salt	01-0000016977-53	Skin irritation Category 2; H315 Eye irritation Category 2; H319	>= 1 - < 2.5	
Benzalkonium chloride	68424-85-1 270-325-2 01-2119965180-41	Acute toxicity Category 4; H302 Skin corrosion Category 1B; H314 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410	>= 0.5 - < 1	
N,N-Bis(3- aminopropyl)laurylamine	2372-82-9 219-145-8	Acute toxicity Category 3; H301 Skin corrosion Category 1A; H314 Serious eye damage Category 1; H318 Specific target organ toxicity - repeated exposure Category 2; H373 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410	>= 0.5 - < 1	
For the full text of the H-Statements mentioned in this Section, see Section 16.				

# 4.1 Description of first aid measures

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

## Section: 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	: Not flammable or combustible.
Hazardous combustion products	<ul> <li>Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus</li> </ul>
5.3 Advice for firefighters	

Special protective equipment for firefighters	: Use personal protective equipment.	
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.	

#### Section: 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

#### **6.2 Environmental precautions**

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13) Flush away traces with water. For large spills, dike spilled materi or otherwise contain material to ensure runoff does not reach a waterway.
-------------------------	--

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

#### Section: 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handling	: Use only with adequate ventilation. Wash hands thoroughly after handling.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	0 °C to 35 °C

#### 7.3 Specific end uses

Specific use(s)	:	Biocide. Manual process
		Biocide. Spray and rinse manual process

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Appropriate engineering controls

Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.				
Individual protection measures						
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.				
Eye/face protection (EN 166)	:	No special protective equipment required.				
Hand protection (EN 374)	:	No special protective equipment required.				
Skin and body protection (EN 14605)	:	No special protective equipment required.				

KitchenPro DesSpecial	
Respiratory protection (EN 143, 14387)	: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.
Environmental exposure co	ontrols
General advice	: Consider the provision of containment around storage vessels.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	opaque, light yellow
Odour	:	Perfumes, fragrances
рН	:	10.3 - 11.0, 100 %
Flash point	:	Not applicable., Does not sustain combustion.
Odour Threshold	:	Not applicable and/or not determined for the mixture
Melting point/freezing point	:	Not applicable and/or not determined for the mixture
Initial boiling point and boiling range	:	> 100 °C
Evaporation rate	:	Not applicable and/or not determined for the mixture
Flammability (solid, gas)	:	Not applicable and/or not determined for the mixture
Upper explosion limit	:	Not applicable and/or not determined for the mixture
Lower explosion limit	:	Not applicable and/or not determined for the mixture
Vapour pressure	:	Not applicable and/or not determined for the mixture
Relative vapour density	:	Not applicable and/or not determined for the mixture
Relative density	:	1.013 - 1.014
Water solubility	:	soluble
Solubility in other solvents	:	Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water	:	Not applicable and/or not determined for the mixture
Auto-ignition temperature	:	Not applicable and/or not determined for the mixture
Thermal decomposition	:	Not applicable and/or not determined for the mixture
Viscosity, kinematic	:	Not applicable and/or not determined for the mixture
Explosive properties	:	Not applicable and/or not determined for the mixture
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

#### 9.2 Other information

Not applicable and/or not determined for the mixture

#### Section: 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

Acids

#### **10.6 Hazardous decomposition products**

Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

#### Section: 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Information on likely routes of : Inhalation, Eye contact, Skin contact exposure

#### Product

Acute oral toxicity	: Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	: There is no data available for this product.
Acute dermal toxicity	: There is no data available for this product.
Skin corrosion/irritation	: There is no data available for this product.
Serious eye damage/eye irritation	: There is no data available for this product.
Respiratory or skin sensitization	: There is no data available for this product.
Carcinogenicity	: There is no data available for this product.
Reproductive effects	: There is no data available for this product.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# KitchenPro DesSpecial

Germ cell mutagenicity	:	There is no data available for this product.
Teratogenicity	:	There is no data available for this product.
STOT - single exposure	:	There is no data available for this product.
STOT - repeated exposure	:	There is no data available for this product.
Aspiration toxicity	:	There is no data available for this product.
Components		
Acute oral toxicity	:	alanine, n,n-bis(carboxymethyl)-, trisodium salt LD50 rat: > 2,000 mg/kg
		Benzalkonium chloride LD50 rat: 344 mg/kg
		N,N-Bis(3-aminopropyl)laurylamine LD50 rat: 261 mg/kg
Components		
Acute dermal toxicity	:	alanine, n,n-bis(carboxymethyl)-, trisodium salt LD50 rat: > 4,000 mg/kg
		Benzalkonium chloride LD50 rabbit: 3,340 mg/kg
Potential Health Effects		
Eyes	:	Health injuries are not known or expected under normal use.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	Health injuries are not known or expected under normal use.
Chronic Exposure	:	Health injuries are not known or expected under normal use.
Experience with human expo	วรเ	ire
Eye contact	:	No symptoms known or expected.
Skin contact	:	No symptoms known or expected.
Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.

# Section: 12. ECOLOGICAL INFORMATION

## 12.1 Ecotoxicity

Environmental Effects	:	Harmful to aquatic life with long lasting effects.

## Product

Toxicity to fish :	no data available
Toxicity to daphnia and other : aquatic invertebrates	no data available
Toxicity to algae :	no data available
Components	
Toxicity to fish :	alanine, n,n-bis(carboxymethyl)-, trisodium salt 96 h LC50 Fish: > 200 mg/l
Components	
Toxicity to daphnia and other : aquatic invertebrates	Benzalkonium chloride 48 h EC50 Daphnia magna (Water flea): 0.016 mg/l
Components	
Toxicity to algae :	N,N-Bis(3-aminopropyl)laurylamine 72 h EC50: 0.014 mg/l
12.2 Persistence and degradability	
Product	
Biodegradability :	The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC
Components	

Biodegradability	: alanine, n,n-bis(carboxymethyl)-, trisodium salt Result: Readily biodegradable.
	Benzalkonium chloride Result: Biodegradable
	N,N-Bis(3-aminopropyl)laurylamine Result: Readily biodegradable.

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

#### Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

Product	The product should not be allowed to enter drains, water course or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.	¥S
Contaminated packaging	Dispose of as unused product. Empty containers should be take to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with loca state, and federal regulations.	)
Guidance for Waste Code selection	Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine an assign the most appropriate European Waste Catalogue Code. is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods compliance with applicable European (EU Directive 2008/98/EC and local regulations.	nd It

#### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (ADR/ADN/RID)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

#### Air transport (IATA)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

#### Sea transport (IMDG/IMO)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	
14.7 Transport in bulk	: Not dangerous goods
according to Annex II of	
MARPOL 73/78 and the IBC	
Code	

#### Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents	:	less than 5 %: Cationic surfactants, Non-ionic surfactants
Regulation EC 648/2004		Other constituents: Disinfectants

#### **National Regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations

 The Chemicals (Hazard Information and Packaging for Supply) Regulations.
 The Control of Substances Hazardous to Health Regulations.
 Health and Safety at Work Act.

#### **15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

Section: 16. OTHER INFORMATION	

### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Chronic aquatic toxicity 3, H412	Calculation method

## Full text of H-Statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## ANNEX: EXPOSURE SCENARIOS

#### DPD+ Substances:

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

Route	Substance	CAS-No.	EINECS-No.
Ingestion	No lead substance		

Ingestion	No lead substance		
Inhalation	No lead substance		
Dermal	alanine, n,n-bis(carboxymethyl)-, trisodium salt	164462-16-2	
Eyes	alanine, n,n-bis(carboxymethyl)-, trisodium salt	164462-16-2	
aquatic environment	Benzalkonium chloride	68424-85-1	270-325-2
aquatic environment	No lead substance		

#### Physical properties DPD+ Substances:

Substance	Vapour pressure	Water solubility	Pow	Molar Mass
Benzalkonium chloride	< 0.0000001 hPa	403 g/l		

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

### www.ecetoc.org/tra

Short title of Exposure Scenario	:	Biocide. Manual process
Use descriptors		
Main User Groups	:	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Sectors of end-use	:	<b>SU22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process categories	:	<b>PROC10:</b> Roller application or brushing <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
Product categories	:	<b>PC35:</b> Washing and cleaning products (including solvent based products)
Environmental Release Categories	:	<b>ERC8a:</b> Wide dispersive indoor use of processing aids in open systems
Short title of Exposure Scenario	:	Biocide. Spray and rinse manual process
Use descriptors		
Main User Groups	:	Professional uses: Public domain (administration, education,

KitchenPro DesSpecial		
		entertainment, services, craftsmen)
Sectors of end-use	:	<b>SU22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process categories	:	<b>PROC11:</b> Non industrial spraying <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
Product categories	:	<b>PC35:</b> Washing and cleaning products (including solvent based products)
Environmental Release Categories	:	<b>ERC8a:</b> Wide dispersive indoor use of processing aids in open systems