

SAFETY DATA SHEET CLEENOL HEAVY DUTY FOAM OVEN CLEANER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

CLEENOL HEAVY DUTY FOAM OVEN CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Cleenol Group Ltd Neville House Beaumont Road Banbury Oxfordshire OX16 1RB Tel: 01295 251721 Fax: 01295 269561 sales@cleenol.co.uk

1.4. Emergency telephone number

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

	Physical and Chemical Hazards	Not classified.
	Human health	Skin Corr. 1B - H314
	Environment	Not classified.
Classification (1999/45/EEC)	C;R34.	

2.2. Label elements

Contains	SODIUM HYDROXIDE
Label In Accordance With (EC) No	o. 1272/2008



Signal Word	Danger	
Hazard Statements		
	H314	Causes severe skin burns and eye damage.
Precautionary Statements		
	P102	Keep out of reach of children.
	P280a	Wear protective gloves.
	P280c	Wear eye protection.
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER or doctor/physician.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

CLEENOL HEAVY DUTY FOAM OVEN CLEANER

P333+313 P405 If skin irritation or rash occurs: Get medical advice/attention. Store locked up. Dispose of contents / containers to local authority guidlines

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

ALKYLAMINE DICARBOXYLATE			1-5%
CAS-No.: 90170-43-7	EC No.: 290-476-8		
Classification (EC 1272/2008) Eye Irrit. 2 - H319		Classification (67/548/EEC) Xi;R36.	
FATTY ALCOHOL ETHOXYLATE			5-10%
CAS-No.: 68439-45-2	EC No.:		
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318		Classification (67/548/EEC) Xn;R22. Xi;R41.	
SODIUM HYDROXIDE			1-5%
CAS-No.: 1310-73-2	EC No.: 215-185-5		
Classification (EC 1272/2008) Skin Irrit. 2 - H315		Classification (67/548/EEC) C;R35	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention immediately! Skin contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing. Eye contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Specific hazards

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

5.3. Advice for firefighters

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not allow ANY environmental contamination.

6.3. Methods and material for containment and cleaning up

DO NOT TOUCH SPILLED MATERIAL! Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

6.4. Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container. Storage Class

Corrosive storage.

7.3. Specific end use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
SODIUM HYDROXIDE	WEL				2 mg/m3	

WEL = Workplace Exposure Limit.

Ingredient Comments WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Process conditions

Provide eyewash, quick drench.

Hand protection

Protective gloves and goggles must be used if there is a risk of direct contact or splash.

Eye protection

If risk of splashing, wear safety goggles or face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Initial boiling point and boiling range	100
Relative density	1.1

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation

Harmful by inhalation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Ingestion Harmful if swallowed. May cause burns in mucous membranes, throat, oesophagus and stomach. Skin contact Causes burns. Harmful in contact with skin. Eye contact Causes burns.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Not regarded as dangerous for the environment.

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	1760
UN No. (IMDG)	1760
UN No. (ICAO)	1760
14.2. UN proper shipping name	
Proper Shipping Name	CORROSIVE LIQUID, N.O.S.
14.3. Transport hazard class(es)	
ADR/RID/ADN Class	8
ADR/RID/ADN Class	Class 8: Corrosive substances.
ADR Label No.	8

IMDG Class ICAO Class/Division Transport Labels





14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	Ш
ICAO Packing group	III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

EMS	F-A, S-B
Emergency Action Code	2X
Hazard No. (ADR)	80
Tunnel Restriction Code	(E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations. Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

15.2. Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

SECTION 16: OTHER INFORMATION		
Revision Date	30/03/2011	
Revision	2	
Supersedes date	18/06/2010	
SDS No.	K26	
Risk Phrases In Full		
R35	Causes severe burns.	
R22	Harmful if swallowed.	
R36	Irritating to eyes.	
R41	Risk of serious damage to eyes.	
Hazard Statements In F	1	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H315	Causes skin irritation.	
H302	Harmful if swallowed.	