



## SAFETY DATA SHEET CLEENOL SENSES LUXURY LIQUID HAND SOAP

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name CLEENOL SENSES LUXURY LIQUID HAND SOAP

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hand cleaner.

#### 1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd  
Neville House  
Beaumont Road  
Banbury  
Oxfordshire  
OX16 1RB  
Tel : 01295 251721  
Fax : 01295 269561  
sales@cleenol.co.uk

#### 1.4. Emergency telephone number

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)	Physical and Chemical Hazards	Not classified.
	Human health	Not classified.
	Environment	Not classified.
Classification (1999/45/EEC)	Not classified.	

#### 2.2. Label elements

Label In Accordance With (EC) No. 1272/2008  
Not classified.

#### Precautionary Statements

P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+313	If skin irritation occurs: Get medical advice/attention.
P337	If eye irritation persists:
P363	Wash contaminated clothing before reuse.

#### Supplementary Precautionary Statements

P501	Dispose of contents/container to ...
------	--------------------------------------

#### 2.3. Other hazards

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

BENZYL ALCOHOL	< 1%
CAS-No.: 100-51-6	EC No.: 202-859-9

## CLEENOL SENSES LUXURY LIQUID HAND SOAP

Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 4 - H332	Classification (67/548/EEC) Xn;R20/22
<b>BENZYL SALYCILATE</b> <span style="float: right;">&lt; 1%</span>	
CAS-No.: 118-58-1 <span style="margin-left: 150px;">EC No.:</span>	
Classification (EC 1272/2008) Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	Classification (67/548/EEC) N;R51/53. R43.
<b>BRONOPOL (INN)</b> <span style="float: right;">&lt; 1%</span>	
CAS-No.: 52-51-7 <span style="margin-left: 150px;">EC No.: 200-143-0</span>	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT Single 3 - H335 Aquatic Acute 1 - H400	Classification (67/548/EEC) Xn;R21/22 Xi;R37/38,R41 N;R50
<b>BUTYLPHENYL METHYLPROPIONAL</b> <span style="float: right;">&lt; 1%</span>	
CAS-No.: 80-54-6 <span style="margin-left: 150px;">EC No.:</span>	
Classification (EC 1272/2008) Aquatic Chronic 2 - H411	Classification (67/548/EEC) N;R51/53.
<b>CITRIC ACID</b> <span style="float: right;">&lt; 1%</span>	
CAS-No.: 77-92-9 <span style="margin-left: 150px;">EC No.: 201-069-1</span>	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT Single 3 - H335	Classification (67/548/EEC) Xi;R36/37/38.
<b>COCOAMIDE DEA</b> <span style="float: right;">1-5%</span>	
CAS-No.: 68603-42-9 <span style="margin-left: 150px;">EC No.:</span>	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC) Xi;R38,R41.
<b>GERANIOL</b> <span style="float: right;">&lt; 1%</span>	
CAS-No.: 106-24-1 <span style="margin-left: 150px;">EC No.:</span>	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317	Classification (67/548/EEC) Xi;R38,R41. R43.

## CLEENOL SENSES LUXURY LIQUID HAND SOAP

GLYCEROL	< 1%
CAS-No.: 56-81-5	EC No.: 200-289-5
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.
LAURYL BETAINE	< 1%
CAS-No.: 66455-29-6	EC No.: 266-368-1
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC) Xi;R38,R41.
METHYLCHLOROISOTHAZOLINONE	< 1%
CAS-No.: 26172-55-4	EC No.:
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.
METHYLISOTHIAZOLINONE	< 1%
CAS-No.: 2682-20-4	EC No.:
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.
PROPAN-2-OL	< 1%
CAS-No.: 67-63-0	EC No.: 200-661-7
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT Single 3 - H336	Classification (67/548/EEC) F;R11 Xi;R36 R67
SODIUM CHLORIDE	1-5%
CAS-No.: 7647-14-5	EC No.: 231-598-3
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.
SODIUM LAURYL ETHER SULPHATE	1-5%
CAS-No.: 3088-31-1	EC No.: 221-416-0
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36/38.

# CLEENOL SENSES LUXURY LIQUID HAND SOAP

VI BRILLIANT PINK		< 1%
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

Ingestion

Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact

Remove contaminated clothing. Rinse immediately with plenty of water.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids.

Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### 5.2. Special hazards arising from the substance or mixture

### 5.3. Advice for firefighters

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.2. Environmental precautions

### 6.3. Methods and material for containment and cleaning up

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

### 6.4. Reference to other sections

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

### 7.3. Specific end use(s)

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3	

WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

# CLEENOL SENSES LUXURY LIQUID HAND SOAP

Protective equipment

Hygiene measures

Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Pink. White / off-white.
Odour	Odourless.
Initial boiling point and boiling range	100@ 760 mm Hg
Relative density	1.023@ 20C

### 9.2. Other information

Volatile Organic Compound (VOC) NIL

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

Stable under normal temperature conditions.

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Ingestion

May cause discomfort if swallowed.

Skin contact

Skin irritation is not anticipated when used normally.

Eye contact

Spray and vapour in the eyes may cause irritation and smarting.

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Not regarded as dangerous for the environment.

### 12.1. Toxicity

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

## SECTION 13: DISPOSAL CONSIDERATIONS

# CLEENOL SENSES LUXURY LIQUID HAND SOAP

## **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements.

## **SECTION 14: TRANSPORT INFORMATION**

Road Transport Notes	Not Classified
Rail Transport Notes	Not classified.
Sea Transport Notes	Not classified.
Air Transport Notes	Not classified.

### **14.1. UN number**

### **14.2. UN proper shipping name**

### **14.3. Transport hazard class(es)**

### **14.4. Packing group**

### **14.5. Environmental hazards**

### **14.6. Special precautions for user**

### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

## **SECTION 15: REGULATORY INFORMATION**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

### **15.2. Chemical Safety Assessment**

## **SECTION 16: OTHER INFORMATION**

Revision Date	12/04/2011
Revision	2
Supersedes date	04/06/2010
SDS No.	D12
Risk Phrases In Full	
R20/22	Harmful by inhalation and if swallowed.
R21/22	Harmful in contact with skin and if swallowed.
R11	Highly flammable
R36/38	Irritating to eyes and skin.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36	Irritating to eyes.
R37/38	Irritating to respiratory system and skin.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R41	Risk of serious damage to eyes.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67	Vapours may cause drowsiness and dizziness.
R50	Very toxic to aquatic organisms.

## CLEENOL SENSES LUXURY LIQUID HAND SOAP

### Hazard Statements In Full

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H225	Highly flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.