



## SAFETY DATA SHEET CLEENOL LIFT FURNITURE POLISH

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name CLEENOL LIFT FURNITURE POLISH

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd  
Neville House  
Beaumont Road  
Banbury  
Oxfordshire  
OX16 1RB  
Tel : 01295 251721  
Fax : 01295 269561  
sales@cleenol.co.uk

#### 1.4. Emergency telephone number

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Not classified.
Environment	Not classified.

Classification (1999/45/EEC) Not classified.

#### 2.2. Label elements

Label In Accordance With (EC) No. 1272/2008  
Not classified.

#### Precautionary Statements

P102	Keep out of reach of children.
P280a	Wear protective gloves.
P301+312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P332+313	If skin irritation occurs: Get medical advice/attention.
P337+313	If eye irritation persists: Get medical advice/attention.
	Dispose of contents / containers as normal waste

#### 2.3. Other hazards

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

# CLEENOL LIFT FURNITURE POLISH

FATTY ALCOHOL ETHOXYLATE	< 1%
CAS-No.: 24938-91-8	EC No.:

Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC) Xn;R22. Xi;R41. N;R50.
-----------------------------------------------------------------------------------------------------	-------------------------------------------------------------

SODIUM HYDROXIDE	< 1%
CAS-No.: 1310-73-2	EC No.: 215-185-5

Classification (EC 1272/2008) Skin Irrit. 2 - H315	Classification (67/548/EEC) C;R35
-------------------------------------------------------	--------------------------------------

TURPENTINE, OIL	< 1%
CAS-No.: 8006-64-2	EC No.: 232-350-7

Classification (EC 1272/2008) Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	Classification (67/548/EEC) R10 Xn;R20/21/22,R65 R43 Xi;R36/38 N;R51/53
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

Ingestion

Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact

Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids.

Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### 5.2. Special hazards arising from the substance or mixture

### 5.3. Advice for firefighters

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.2. Environmental precautions

# CLEENOL LIFT FURNITURE POLISH

## 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

## 6.4. Reference to other sections

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

#### 7.3. Specific end use(s)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
SODIUM HYDROXIDE	WEL				2 mg/m <sup>3</sup>	
TURPENTINE, OIL	WEL	100 ppm	566 mg/m <sup>3</sup>	150 ppm	850 mg/m <sup>3</sup>	

WEL = Workplace Exposure Limit.

#### 8.2. Exposure controls

Protective equipment



Respiratory equipment

Not relevant

Hand protection

Use suitable protective gloves if risk of skin contact.

Eye protection

Not relevant

Other Protection

Use barrier creams to prevent skin contact.

Hygiene measures

Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	White / off-white.
Initial boiling point and boiling range	100@ 760 mm Hg
Relative density	1 @20c

#### 9.2. Other information

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

#### 10.2. Chemical stability

Stable under normal temperature conditions.

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

# CLEENOL LIFT FURNITURE POLISH

Avoid excessive heat for prolonged periods of time.

## **10.5. Incompatible materials**

## **10.6. Hazardous decomposition products**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

Ingestion

May cause discomfort if swallowed.

Skin contact

Skin irritation is not anticipated when used normally.

Eye contact

Spray and vapour in the eyes may cause irritation and smarting.

## **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity

Not regarded as dangerous for the environment.

### **12.1. Toxicity**

### **12.2. Persistence and degradability**

### **12.3. Bioaccumulative potential**

### **12.4. Mobility in soil**

### **12.5. Results of PBT and vPvB assessment**

### **12.6. Other adverse effects**

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements.

## **SECTION 14: TRANSPORT INFORMATION**

Road Transport Notes                      Not Classified

Rail Transport Notes                      Not classified.

Sea Transport Notes                      Not classified.

Air Transport Notes                      Not classified.

### **14.1. UN number**

### **14.2. UN proper shipping name**

### **14.3. Transport hazard class(es)**

### **14.4. Packing group**

### **14.5. Environmental hazards**

### **14.6. Special precautions for user**

### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

## **SECTION 15: REGULATORY INFORMATION**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

# CLEENOL LIFT FURNITURE POLISH

Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

## 15.2. Chemical Safety Assessment

### SECTION 16: OTHER INFORMATION

Revision Date	04/03/2011
Revision	2
Supersedes date	18/06/2010
SDS No.	G22
Risk Phrases In Full	
R35	Causes severe burns.
R10	Flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R65	Harmful: may cause lung damage if swallowed.
R36/38	Irritating to eyes and skin.
R43	May cause sensitisation by skin contact.
R41	Risk of serious damage to eyes.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R50	Very toxic to aquatic organisms.
Hazard Statements In Full	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H226	Flammable liquid and vapour.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.